



COIL STORAGE TOTAL SOLUTION

HUA KE RUBBER

- Increased coil storage capacity
- Decreased coil damage
- Improved safety
- Reduce cleaning and replacement of wood saddles
- Long-lasting
- Clean, organized coil storage
- No moisture absorption
- Reduced cost, maintenance-free
- Easily identify coil location



KOREA Distributor

(주)비즈케어

고객센터 Tel.1511-9902




Application Instructions of Coil Rubber Pad

- The products are mainly used in steel mills, aluminum plants, warehouses, and inventory storage.

Protect the steel and aluminum coils from being smeared when they are stored, The product is made of compressive and tear-resistant mixed rubber, the trial temperature is - 40- 160 °C, and the service life is 5- 8 years with a load-bearing capacity of 20T-30T.

Coil rubber pad specifications

TYPE 1)






L	B	H
1500	600	85
1200	600	85
1000	900	100
800	600	85
600	600	85
500	600	85
300	600	85

TYPE 2)

Product features

This section has reinforcing ribs, customized by customers, more compressive, suitable for the maximum outer diameter of Coil 2.7 meters.



L	B	H
1500	900	100
1500	600	85
1000	900	100
1000	600	85
800	600	85
600	600	85
500	600	85
300	600	85



Coil stacking shock-absorbing rubber sheet




L↵	W↵	T↵
1000	100	10
1000	160	10
1000	160	15
2000	1000	15

Customers can specify any specification

Coil Transport Rubber Saddle



Customized Coil rubber pad





Roll scraping polyurethane board



L

W

T

2250

145

18

Customers can specify any specification

Field application example






Use Location Photo







COIL STORAGE TOTAL SOLUTION

KOREA Distributor

(주)비즈케어

고객센터 Tel.1511-9902



衡水华科橡塑有限公司